



# Silver Solutions

[www.scotsman.co.za](http://www.scotsman.co.za)

[info@scotsman.co.za](mailto:info@scotsman.co.za)

0861777078

0722315060

## 1. SELF CONTAINED ICE CUBER STANDARD MODEL

Indicated production ratings pertain to air cooled (AS) models.

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity kg	Dimensions (unpacked) W x D x H H with Legs* (mm)	Voltage	Gas	Shipping Weight kg	Incl vat
SDN 20	20 kg	14kg	6.5 kg	333 x 460 x 585	230/50/1	R134a	32	R 14303.04

## 2. SELF CONTAINED SUPER CUBER / GOURMET CUBE –PROGRESSIVE WATER DISCHARGE

Please Note: Take leg height into consideration when making height allowances for under counter installations.

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity kg	Dimensions (unpacked) W x D x H / H with Legs* (mm)	Voltage	Gas	Shipping Weight kg	Incl vat
EC 46*	24 kg	22 kg	9 kg	386 x 600 x 643	230/50/1	R134a	42	R 16 223.04
EC 56*	32 kg	29 kg	12.5kg	386 x 600 x 693/813*	230/50/1	R134a	43	R 21 119.04
EC 86	38 kg	35 kg	19 kg	530 x 600 x 795/915*	230/50/1	R134a	51	R 22 847.04
EC 106	50 kg	46 kg	23kg	530 x 600 x 850/970*	230/50/1	R134a	54	R 24 863.04
EC 126	71kg	66 kg	34kg	680 x 600 x 930/1050*	230/50/1	R404a	75	R 36 095.04
EC 176	83 kg	78 kg	48kg	680 x 600 x 1000/1120*	230/50/1	R404a	80	R 38 975.04
EC 206	130 kg	115 kg	50 kg	1250 x 620 x 780/860*	230/50/1	R404a	95	R 48 767.04
EC 226	145 kg	135 kg	70 kg	1078 x 715 x 1006/1126*	230/50/1	R404a	110	R 54 335.04

\*LEGS & SCOOP NOT INCLUDED

## 3. SELF CONTAINED ICE DISPENSERS (NUGGET & GOURMET)

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity kg	Dimensions (unpacked) W x D x H (mm)	Voltage	Gas	Shipping Weight kg	Incl vat
TC 180	135 kg	115 kg	5 -9 Kg	388 x 663 x 874	230/50/1	R134a	73	R 57 983.04
CD 40	35 kg	29 kg	15 Kg	380 x 513 x 1720	230/50/1	R134a	74	R 56 159.04

#### 4. MODULAR ECONOMY CUBER - SUPER DICE CUBE

All prices exclude bins

Indicated production ratings pertain to air cooled (AS) models

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity kg <small>Recommended</small>	Dimensions (unpacked) W x D x H (mm)	Voltage	Gas	Shipping Weight kg	Incl vat
MV 306	146 kg	133 kg	B 150	560 x 620 x 575	230/50/1	R404a	63	R40 319.04
NW 458	240 kg	215 kg	B 220	760 x 620 x 575	230/50/1	R404a	85	R44 159.04
NW 608	320 kg	280 kg	B220/ B320	760 x 620 x 575	230/50/1	R404a	86	R50 207.04
NW 1008	465 kg	415 kg	B320/ B500	760 x 620 x 725	230/50/1	R404a	119	R73 919.04
NW 1008	465 kg	415 kg	B 500	760 x 620 x 800	400/50/3N	R404a	119	R73 919.04
C 1448 *	636 kg	561 kg	B 500	1219 x 700 x 737	230/50/1 17.7Amp	R404a	157	R112 319.04
C 1848 *	736 kg	650 kg	B 500	1219 x 700 x 737	230/50/1 25.5 Amp	R404a	161	R 131 711.04

\* Recommend an independent 30amp circuit breaker with an isolator

#### 5. MODULAR SUPER CUBER – HORIZONTAL EVAPORATORS (GOURMET CUBE) All prices exclude bins

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity kg <small>Recommended</small>	Dimensions (unpacked) W x D x H (mm)	Voltage	Gas	Shipping Weight kg	Incl vat
MC 16 - Short	172 kg	155 kg	B 220	772 x 608 x 711	230/50/1	R404a	85	R 43 103.04
MC 46	310 kg	300 kg	B 320	1073 x 534 x 859	230/50/1	R404a	125	R 66 911.04
MC 1210	660 kg	570 kg	2 x B500	1677 x 775 x 810	400/50/3N	R404a	245	R 138 335.04

#### 6. ICE CRUSHER

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 32° / 21°	Storage Capacity kg	Dimensions (unpacked) W x D x H	Voltage	Gas	Shipping Weight kg	Incl vat
CRUSHMAN 360	360 kg	-	3.5 kg	245 x 430 x 490	230/50/1	-	26	R 23 231.04

## 7. SELF CONTAINED FLAKERS – ELECTRONIC

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity kg	Dimensions (unpacked) W x D x H / H with Legs* (mm)	Voltage	Gas	Shipping Weight kg	Incl vat
AF 80	70 kg	64 kg	25 kg	535 x 626 x 813/933*	230/50/1	R134a	58	R 38 687.04
AF103	98 kg	88 kg	30 kg	592 x 622 x 1006 /1126*	230/50/1	R134a	75	R 45 407.04

## 8. MODULAR - SUPER FLAKERS – ELECTRONIC – ITALY

Indicated production ratings pertain to air cooled (As) models All prices exclude bins

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 15°	Storage Capacity Kg <small>Recommended</small>	Dimensions (unpacked) W x D x H (mm)	Voltage	Gas	Shipping Weight kg	Incl vat
MF 26	120 kg	110 kg	B 150	560 x 533 x 525	230/50/1	R134a	52	R 41 759.04
MF 36	200 kg	185 kg	B 150/220	560 x 533 x 525	230/50/1	R404a	56	R 48 095.04
MF 46	320 kg	300 kg	B 320	538 x 663 x 650	230/50/1	R404a	87	R 70 559.04
MF 56	600 kg	540 kg	B 500	538 x 663 x 790	230/50/1	R404a	103	R 88 607.04
MF 66	1200 kg	1020 kg	SPECIAL	1065 x 698 x 850	400/50/3N	R404a	198	R 195 935.04
MF 86	2500 kg	2250 kg	SPECIAL	1080 x 780 x 1255	400/50/3N	R404a	411	R 332 831.04

## ACCESSORIES

### 9. STAINLESS STEEL STORAGE BINS

\* Storage capacity of Bin is based on type of ice stored

\* Without legs

Model	Storage Capacity	Insulation Type	Density	Dimensions W x D x H (mm)	Material	Drain Size	Shipping Weight APPROX	Incl vat
B 150	125-150 kg*	Polystyrene	32 dv	560 x 725 x 1100/ *900	S.S	1¼	30 kg	R 5 855.04
B 220	190-220 kg*	Polystyrene	32 dv	800 x 725 x 1100/ *900	S.S	1¼	40 kg	R 6 431.04
B 320	260-320 kg*	Polystyrene	32 dv	1075 x 725 x 1100/ *900	S.S	1 ¼	50 kg	R 7 391.04
B 500	400-480 kg*	Polystyrene	32 dv	1220 x 725 x 1410/ *1225	S.S	1¼	60 kg	R 9 791.04

### 10. HI/LOW VOLTAGE PROTECTORS

Part No	Description	Current Rating Amps	Inrush Current Amps	Voltage Over Under	Nominal Voltage (V)	Start Time Delay	Shipping Weight (kg)	Incl vat
Freogard30	Over Under Voltage Protector (Internal connection)	30	110	190 - 260	230/50/1	3 min	0.4	R 1 252.86
AVS 3P-O	3-Phase Protection Switches a Contactor (Internal Connection)	16 9	120	185 – 260 320 - 450	220/50/1 380/50/3	3min	0.6	R 4 216.86

## **11. WATER FILTERS**

<b>Description</b>	<b>Description 2</b>	<b>Capacity (Litres)</b>	<b>Incl vat</b>
<b>Single Action Cartridge</b>	<b>Dirt Filtration</b>	.	<b>R112.86</b>
<b>Head &amp; Bracket Fittings</b>	<b>Once off buy</b>	.	<b>R1482.00</b>
<b>Triple Action Cartridge</b>	<b>Scale &amp; Corrosion Dirt &amp; Sediment Taste &amp; Odour</b>	<b>37 854</b>	<b>R 2050.86</b>

**All prices quoted include VAT.**